

	Type	Hits	Search Text	DBs
1	BRS	1031	257/712.ccls.	USPAT; US-PGPUB
2	BRS	347	257/730.ccls.	USPAT; US-PGPUB
3	BRS	488	257/704.ccls.	USPAT; US-PGPUB
4	BRS	11	257/730.ccls. and (stiffener or ring) and sink and power	USPAT; US-PGPUB
5	BRS	1416	257/778.ccls.	USPAT; US-PGPUB
6	BRS	34	257/778.ccls. and (power adj supply) and (stiffener or ring)	USPAT; US-PGPUB
7	BRS	43	257/730.ccls. and (stiffener or ring) and power	USPAT; US-PGPUB
8	BRS	1	"5367196".PN.	USPAT
9	BRS	1	"5031069".PN.	USPAT
10	BRS	1	"4908694".PN.	USPAT
11	BRS	1	"4908694".PN.	USPAT
12	BRS	1	"4698661".PN.	USPAT
13	BRS	1	"4427991".PN.	USPAT
14	BRS	1	"5438216".PN.	USPAT
15	BRS	1	"5367193".PN.	USPAT
16	BRS	1	"5018004".PN.	USPAT
17	BRS	19	(257/730.ccls. and (stiffener or ring) and power) and supply	USPAT; US-PGPUB
18	BRS	11	257/704.ccls. and (power adj supply) and (stiffener or ring)	USPAT; US-PGPUB
19	BRS	36	257/778.ccls. and (stiffener or ring) and interposer	USPAT; US-PGPUB
20	BRS	18	(257/778.ccls. and (stiffener or ring) and interposer) and power	USPAT; US-PGPUB
21	BRS	2	257/730.ccls. and interposer and power	USPAT; US-PGPUB
22	BRS	13	257/704.ccls. and interposer	USPAT; US-PGPUB
23	BRS	73	257/730.ccls. and (stiffener or ring)	USPAT; US-PGPUB
24	BRS	43	(257/730.ccls. and (stiffener or ring)) and power	USPAT; US-PGPUB
25	BRS	176	BGA and (power adj supply) and (stiffener or ring)	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
26	BRS	115	(BGA and (power adj supply) and (stiffener or ring)) and (lid or sink or cover)	USPAT; US-PGPUB
27	BRS	1	"6201298".PN.	USPAT
28	BRS	1	"6194778".PN.	USPAT
29	BRS	1	"6175158".PN.	USPAT
30	BRS	1	"5969426".PN.	USPAT
31	BRS	1	"5835355".PN.	USPAT
32	BRS	1	"5801440".PN.	USPAT
33	BRS	1	"5616958".PN.	USPAT
34	BRS	43266	power and ground and impedance and (supply or deliver)	USPAT; US-PGPUB
35	BRS	3689	(power and ground and impedance and (supply or deliver)) and (stiffener or ring) and (ball or pin)	USPAT; US-PGPUB
36	BRS	2162	((power and ground and impedance and (supply or deliver)) and (stiffener or ring) and (ball or pin)) and (lid or cover or sink)	USPAT; US-PGPUB
37	BRS	2162	((power and ground and impedance and (supply or deliver)) and (stiffener or ring) and (ball or pin)) and (lid or cover or sink)) and ground	USPAT; US-PGPUB
38	BRS	85	(power and ground and impedance and (supply or deliver)) and interposer and (ball or pin)	USPAT; US-PGPUB
39	BRS	1	"5734555".PN.	USPAT
40	BRS	1	"6018465".PN.	USPAT
41	BRS	1	"5995370".PN.	USPAT
42	BRS	1	"5986887".PN.	USPAT
43	BRS	1	"5980267".PN.	USPAT
44	BRS	1	"5726432".PN.	USPAT
45	BRS	1	"5196994".PN.	USPAT
46	BRS	1	"5986887".PN.	USPAT
47	BRS	1	"5980267".PN.	USPAT
48	BRS	1	"5930115".PN.	USPAT
49	BRS	1	"5920458".PN.	USPAT
50	BRS	1	"5905638".PN.	USPAT

	Type	Hits	Search Text	DBs
51	BRS	1	"5898573".PN.	USPAT
52	BRS	1	"5856911".PN.	USPAT
53	BRS	1	"5842514".PN.	USPAT
54	BRS	1	"5825633".PN.	USPAT
55	BRS	1	"5825633".PN.	USPAT
56	BRS	1	"5825630".PN.	USPAT
57	BRS	1	"5815921".PN.	USPAT
58	BRS	1	"5801924".PN.	USPAT
59	BRS	406	361/720.ccls.	USPAT; US-PGPUB

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	0	"L103" and interposer and power	USPAT; US-PGP UB
2	BRS	L4	406	361/720.ccls.	USPAT; US-PGP UB
3	BRS	L7	4	"L4" and interposer and power	USPAT; US-PGP UB
4	BRS	L10	950	257/712.ccls.	EPO; JPO; IBM_TD B
5	BRS	L14	505	257/704.ccls.	EPO; JPO; IBM_TD B
6	BRS	L18	358	257/730.ccls.	EPO; JPO; IBM_TD B